



Change, Transition, Evolution

OEM fitting Services

Document Ver 01-1 2021

Why Sanwa Pump for OEMs?



*Densely
Covered
Performance*

**0.5~20HP
(0.37 ~ 15kW)**




*Optimized
for*

- Major Organic Chemicals
- Permeable Solvent
- Temperature variant
- Major Thermal Fluid



*Good at
Closed-loop
Process*



*Easy
Maintenance*



New Technology
New Material
New Product



Experiences and supply-records tell

Our know-hows will go to your hand.




Petro-Chemical



Semi-Conductor



Super Computer



Lithium Ion Battery
Li-ion



Fuel Cell



Gas Emission Control
Diesel



Fine Chemical



LCD/OELD



Data Center



Wind Turbine



Air Conditioner

Fitting to your OEM planning



- Optimization is a MUST by precise testing and evaluation.
==> We offer quick/optimized prototype for testing.
- Minimized Inventory is a MUST at initial stage.
==> We offer a minimal lot launching.
- International logistic is a MUST for the project.
==> We offer international logistics or partnerships.

Advantages of our Stainless Magnet Pumps

	Other COMPETITION	Sanwa Pump
● For a prototype Unit	By a standard pump	By a special design, tailored
● For Production Units	Min 500-1000 units	Min units (EAU) is OK

New Technology
New Material
New Product

Product Offering tailored to your needs

Product Choice



Special Market-In
With specialized priority/actions



Special Products



Only one
Prototype to offer

2019/5/11

OEM by Sanwa Pump– Unique Points

-  **1 Prototype Cares**
-  **2 For a limited lot supply**
-  **3 Experience & supply-records**